



Cloud-Native Geospatial Platforms for Global Crop Monitoring: Scalable Architectures, Remote Sensing Data Integration, and AI-Driven Decision Support Systems for Precision Agriculture and Food Security

Dr Beatriz L Santos ^{1*}, Dr Noah J. Mitchell ², Dr Xia L Zhang ³, Dr Lars P Moreau ⁴

¹⁻²Department of Precision Agriculture, Iowa State University, Ames, IA, USA

³ Smart Agriculture Research Unit, AgroParisTech, Paris, France

⁴ Center for Sustainable Crop Management, Federal University of Lavras, Lavras, Brazil

* Corresponding Author: **Dr Beatriz L Santos**

Article Info

P-ISSN: 3051-3421

E-ISSN: 3051-343X

Volume: 04

Issue: 01

Received: 06-11-2022

Accepted: 08-12-2022

Published: 10-01-2023

Page No: 01-08

Abstract

Global crop monitoring has emerged as a critical component of sustainable agriculture and food security under increasing climatic variability and population growth. Traditional ground-based surveys and desktop Geographic Information Systems face substantial limitations in scalability, timeliness, and global coverage. Cloud-native geospatial platforms represent a transformative approach by leveraging distributed computing infrastructures, petabyte-scale data repositories, and advanced analytics to enable near real-time monitoring of agricultural systems at planetary scales. This article reviews the architectures, data integration frameworks, and analytical capabilities of cloud-native platforms specifically designed for crop monitoring applications. Key technologies examined include satellite remote sensing systems (optical, synthetic aperture radar, and hyperspectral), unmanned aerial vehicle sensors, Internet of Things devices, and their integration within cloud environments such as Google Earth Engine, Amazon Web Services, and Microsoft Azure. The article analyzes big geospatial data processing frameworks, artificial intelligence and machine learning algorithms for crop analytics, and decision support tools enabling yield prediction, crop health assessment, and climate resilience monitoring. Major applications spanning precision agriculture, food security early warning, and sustainable resource management are critically evaluated. The review concludes by addressing challenges related to data volume management, computational costs, validation uncertainty, and equitable access, while highlighting future directions including digital twin technologies, edge-cloud computing synergies, and autonomous monitoring systems for next-generation agricultural informatics.

Keywords: Cloud-native geospatial platforms, crop monitoring, remote sensing, precision agriculture, big geospatial data, decision support systems

1. Introduction

Global agricultural systems face unprecedented challenges from climate change, population growth, and resource constraints, necessitating transformative approaches to crop monitoring and management ^[1,2]. Approximately 820 million people experience food insecurity worldwide, while agricultural production must increase by an estimated 50% by 2050 to meet projected demand ^[3]. Timely, accurate, and spatially explicit information about crop conditions, phenology, and yield potential has become essential for informed decision-making across scales ranging from individual farms to international food security organizations ^[4,5].

Traditional crop monitoring approaches rely predominantly on ground-based surveys, manual sampling, and statistical reporting systems that operate at coarse temporal and spatial resolutions [6]. Desktop Geographic Information Systems, while valuable for localized analysis, encounter substantial limitations when addressing continental or global-scale monitoring requirements due to computational constraints, data storage bottlenecks, and manual processing workflows [7, 8]. These conventional methods struggle to accommodate the exponential growth in earth observation data generated by satellite constellations, unmanned aerial vehicles, and distributed sensor networks [9].

Cloud-native geospatial platforms have emerged as a paradigm shift in agricultural monitoring by providing scalable computing architectures, distributed data repositories, and collaborative analytical environments that democratize access to petabyte-scale remote sensing archives [10, 11]. These platforms integrate advanced data processing frameworks, machine learning algorithms, and visualization tools within unified cloud environments, enabling researchers, agronomists, and policymakers to conduct sophisticated analyses without requiring extensive local computational infrastructure [12, 13]. Notable examples include Google Earth Engine, Amazon Web Services geospatial services, Microsoft Planetary Computer, and specialized agricultural monitoring platforms built upon these foundational cloud infrastructures [14, 15].

The objective of this article is to provide a comprehensive technical review of cloud-native geospatial platforms designed for global crop monitoring applications. The article examines architectural principles, data integration frameworks, analytical methodologies, and decision support capabilities while critically evaluating applications in precision agriculture, yield forecasting, and food security monitoring. Challenges related to scalability, cost management, validation, and equitable access are analyzed alongside future perspectives including digital agricultural twins, edge-cloud computing integration, and autonomous monitoring systems.

2. Overview of Cloud-Native Geospatial Technologies

2.1. Principles of Cloud-Native Architectures

Cloud-native geospatial platforms fundamentally differ from traditional desktop GIS by implementing distributed computing paradigms where data, processing, and analytical tools reside within scalable cloud infrastructures [16]. These architectures leverage elasticity principles, enabling dynamic allocation of computational resources based on workload demands, and implement containerization technologies that ensure reproducibility and portability across heterogeneous computing environments [17]. The core architectural components include distributed object storage systems for petabyte-scale data repositories, parallel processing frameworks for geospatial analytics, application programming interfaces for programmatic access, and web-based interfaces for interactive visualization [18].

Leading cloud service providers including Amazon Web Services, Google Cloud Platform, and Microsoft Azure offer specialized geospatial capabilities built upon foundational infrastructure services [19]. AWS provides services such as Amazon S3 for spatial data storage, AWS Lambda for serverless geospatial processing, and Amazon SageMaker for machine learning model deployment [20]. Google Cloud Platform hosts Earth Engine, a specialized platform

maintaining analysis-ready satellite imagery archives exceeding 70 petabytes with pre-computed spectral indices and temporal composites [21]. Microsoft Azure supports Planetary Computer, which integrates multiple earth observation datasets with cloud-optimized formats and spatiotemporal asset catalogs [22].

2.2. Scalable Storage and Computing Paradigms

Cloud-native platforms implement object storage systems optimized for geospatial data characteristics, supporting cloud-optimized GeoTIFF, Zarr, and Cloud Optimized Point Cloud formats that enable efficient partial data retrieval without downloading complete datasets [23]. These storage architectures integrate with distributed computing frameworks including Apache Spark, Dask, and custom parallel processing engines that partition geospatial operations across hundreds or thousands of computational nodes [24]. Data locality principles minimize network transfer overhead by co-locating processing resources with data repositories, significantly reducing latency for large-scale analytical workflows +.

Containerization technologies such as Docker and Kubernetes orchestrate geospatial processing workflows, enabling reproducible execution environments and seamless scaling from prototype development to operational production systems [26]. Serverless computing models further abstract infrastructure management, allowing users to execute geospatial functions triggered by data availability or scheduled intervals without provisioning persistent computational resources [27].

2.3. Geospatial Data Pipelines and APIs

Modern cloud-native platforms provide comprehensive APIs supporting multiple programming languages including Python, JavaScript, and R, enabling programmatic access to data catalogs, processing algorithms, and visualization capabilities [28]. These APIs implement geospatial primitives for common operations including filtering by spatiotemporal extent, applying band mathematics, calculating vegetation indices, performing supervised classification, and conducting time series analysis [29]. RESTful web services and OGC-compliant interfaces ensure interoperability with existing geospatial software ecosystems while maintaining cloud-native performance characteristics [30].

3. Data Sources and Integration for Crop Monitoring

3.1. Satellite Remote Sensing Data

Satellite remote sensing constitutes the primary data source for global-scale crop monitoring, providing consistent, repeated observations across vast geographic extents [31]. Optical sensors including those aboard Landsat, Sentinel-2, MODIS, and commercial satellites deliver multispectral imagery enabling calculation of vegetation indices such as Normalized Difference Vegetation Index (NDVI), Enhanced Vegetation Index (EVI), and Leaf Area Index (LAI) that correlate with crop biomass, health, and phenological stage [32, 33]. Sentinel-2 constellation provides 10-meter spatial resolution imagery with 5-day revisit frequency, offering unprecedented capability for within-field variability assessment [34].

Synthetic Aperture Radar systems including Sentinel-1 and commercial SAR platforms provide cloud-penetrating capabilities essential for monitoring tropical and monsoon regions where optical observations face persistent

atmospheric interference^[35]. SAR backscatter coefficients correlate with crop structure, moisture content, and phenological development, enabling complementary information to optical sensors^[36]. Hyperspectral sensors, though currently limited in spatial coverage, provide hundreds of narrow spectral bands enabling detailed biochemical property estimation and early stress detection^[37].

3.2. UAV, IoT, and Ground-Based Sensor Integration

Unmanned aerial vehicles equipped with multispectral, thermal, and LiDAR sensors provide ultra-high spatial resolution data for field-scale precision agriculture applications^[38]. UAV platforms bridge the scale gap between satellite observations and ground measurements, delivering sub-decimeter resolution imagery suitable for individual plant monitoring and variable rate application planning^[39]. Integration of UAV data within cloud platforms requires efficient upload pipelines, geometric correction workflows, and fusion algorithms that align UAV observations with satellite time series^[40].

Internet of Things sensor networks measuring soil moisture, temperature, nutrient levels, and microclimate conditions provide continuous ground truth data for calibrating and validating remote sensing products^[41]. Cloud-native platforms implement ingestion pipelines supporting standard IoT protocols including MQTT and CoAP, enabling real-time streaming of sensor observations into geospatial databases^[42]. Weather station networks, soil probes, and automated phenology cameras contribute valuable temporal continuity complementing satellite revisit intervals.

3.3. Data Harmonization and Interoperability Standards

Integration of heterogeneous data sources requires sophisticated harmonization protocols addressing differences in spatial resolution, temporal frequency, spectral configurations, and radiometric calibrations. Cloud platforms implement automated preprocessing workflows performing atmospheric correction, geometric registration, cloud masking, and radiometric normalization to generate analysis-ready data products. The SpatioTemporal Asset Catalog specification provides standardized metadata schemas enabling discovery and access to diverse earth observation datasets through unified interfaces.

Interoperability frameworks including OGC Web Coverage Service, Web Processing Service, and SensorThings API facilitate integration between cloud-native platforms and external data providers or analytical tools. Data cube paradigms organize multidimensional geospatial data along spatial and temporal axes, simplifying analysis workflows and enabling efficient time series operations.

4. Cloud-Based Analytics and Processing Frameworks

4.1. Big Geospatial Data Processing

Cloud-native platforms implement distributed processing frameworks specifically optimized for geospatial big data characteristics including spatial autocorrelation, temporal continuity, and multidimensional array structures. Google Earth Engine's proprietary processing engine automatically partitions geospatial operations across distributed computing clusters, transparently handling data parallelization without requiring explicit user management. Open-source alternatives including GeoSpark, SpatialHadoop, and GeoMesa extend general-purpose big data frameworks with

geospatial indexing and query optimization.

Parallel processing strategies for crop monitoring applications include embarrassingly parallel operations applied independently to each spatial location or time step, spatially aware partitioning schemes that minimize edge effects, and iterative algorithms requiring coordination across distributed workers. Cloud platforms optimize common agricultural monitoring workflows such as calculating vegetation indices across continental extents, compositing time series to remove cloud contamination, and extracting phenological metrics from multi-year satellite archives.

4.2. Artificial Intelligence and Machine Learning

Machine learning algorithms deployed within cloud environments enable sophisticated crop type classification, yield prediction, stress detection, and anomaly identification from multisource geospatial data. Supervised classification approaches including random forests, support vector machines, and deep convolutional neural networks achieve crop type mapping accuracies exceeding 90% when trained with adequate reference data. Cloud platforms provide integrated model training infrastructure, automated hyperparameter tuning, and scalable inference engines that apply trained models across global extents.

Deep learning architectures particularly suited for crop monitoring include U-Net for semantic segmentation of field boundaries, LSTM networks for phenological time series analysis, and attention mechanisms for multi-temporal feature fusion. Transfer learning approaches leverage pre-trained models on large-scale datasets, reducing training data requirements for specific crop types or geographic regions. Explainable AI techniques provide interpretability essential for operational agricultural decision support by identifying which spectral bands, phenological stages, or spatial patterns drive model predictions.

4.3. Visualization and Decision Support Tools

Interactive visualization dashboards built atop cloud platforms translate complex geospatial analytics into actionable information for diverse stakeholders including farmers, agronomists, insurance providers, and food security analysts. Web-based mapping interfaces display near real-time vegetation indices, crop health anomalies, yield forecasts, and climate risk assessments with customizable spatial and temporal aggregations. Cloud-native visualization leverages vector tiles for efficient rendering of field boundaries, WebGL for three-dimensional terrain visualization, and time slider widgets for exploring multi-decadal satellite archives.

Decision support systems integrate crop models, weather forecasts, market prices, and geospatial analytics to provide recommendations for irrigation scheduling, fertilizer application, pest management, and harvest timing. Alert systems trigger notifications when satellite-derived indicators exceed predefined thresholds indicating drought stress, disease outbreaks, or phenological delays. Mobile applications connected to cloud backends enable field-level data collection, prescription map delivery to farm machinery, and two-way communication between ground observations and satellite monitoring systems.

5. Applications of Cloud-Native Platforms in Global Crop Monitoring

5.1. Crop Health Assessment and Stress Detection

Cloud-native platforms enable continental-scale crop health monitoring by processing daily to weekly satellite acquisitions through vegetation index calculation, anomaly detection, and stress classification algorithms. Deviations from historical NDVI or EVI baselines indicate emerging stress conditions from drought, nutrient deficiency, disease, or pest damage, often detectable weeks before visible symptoms appear. Integration of thermal infrared data enables crop water stress estimation through indices such as Crop Water Stress Index and surface temperature-vegetation index relationships.

Spectral unmixing algorithms deployed on cloud infrastructure separate contributions from green vegetation, senescent material, bare soil, and shadows within mixed pixels, improving stress detection sensitivity particularly at moderate spatial resolutions. Machine learning classifiers trained on multispectral time series distinguish stress types including water deficit, nitrogen deficiency, and disease infection based on characteristic temporal and spectral signatures. Early warning systems for transboundary pests such as desert locusts integrate satellite vegetation monitoring with meteorological data to predict favorable breeding conditions and migration pathways.

5.2. Yield Estimation and Forecasting

Satellite-based yield forecasting models leverage relationships between seasonal vegetation index trajectories and final harvested yields to provide pre-harvest production estimates at field, regional, and national scales. Cloud platforms enable implementation of empirical regression models, crop growth simulation models assimilating remote sensing observations, and machine learning approaches that identify complex nonlinear relationships between spectral features and yields. Integration of weather data, soil properties, and management practices improves yield prediction accuracies, with recent studies reporting correlation coefficients between 0.70 and 0.90 for major crops.

Operational yield forecasting systems deployed on cloud infrastructure provide monthly or bi-weekly updates throughout growing seasons, allowing agricultural ministries, commodity traders, and humanitarian organizations to anticipate production shortfalls or surpluses. Probabilistic forecasting approaches quantify prediction uncertainties arising from weather variability, sensor limitations, and model errors, supporting risk-informed decision-making. Sub-field yield variability mapping guides precision agriculture interventions including variable rate seeding, targeted fertilization, and differential irrigation.

5.3. Food Security and Climate Resilience

Global food security monitoring systems built on cloud-native platforms integrate crop production estimates, market prices, conflict data, and socioeconomic indicators to assess vulnerability and predict potential humanitarian crises. Early warning systems operated by organizations including FEWS NET, GEOGLAM, and WFP utilize satellite-derived vegetation anomalies, rainfall estimates, and crop condition indicators to trigger anticipatory actions months before harvest failures manifest in market disruptions or malnutrition prevalence.

Climate resilience assessment applications analyze multi-decadal satellite archives to characterize agricultural drought frequencies, identify climate-sensitive production regions, and evaluate adaptation strategies such as crop diversification or improved varieties. Cloud-based platforms facilitate scenario modeling of climate change impacts on agricultural productivity by coupling crop models with downscaled climate projections and evaluating responses across thousands of spatial units and climate scenarios. These capabilities support national adaptation planning, agricultural insurance product design, and investment prioritization for climate-resilient agricultural development[.

6. Challenges and Future Perspectives

6.1. Data Volume, Latency, and Cost Management

The proliferation of high-resolution satellite constellations, UAV platforms, and IoT sensors generates data volumes exceeding tens of petabytes annually for agricultural monitoring applications, presenting substantial challenges for data transfer, storage, and processing. Network bandwidth limitations restrict near real-time data availability in remote agricultural regions, while cloud storage and computing costs can become prohibitive for sustained operational monitoring across large geographic extents. Optimization strategies including intelligent data filtering, progressive resolution analysis, and edge computing preprocessing help manage these constraints but require careful architectural design.

Cost management requires balancing computational intensity, temporal frequency, and spatial coverage against available budgets, often necessitating trade-offs between accuracy and affordability. Serverless architectures and spot instance utilization can reduce costs for non-time-critical processing, while data compression and cloud-optimized formats minimize storage expenses. Open data policies for satellite imagery reduce acquisition costs but do not eliminate processing and infrastructure expenses.

6.2. Accuracy, Uncertainty, and Validation

Validation of satellite-derived crop monitoring products remains challenging due to limited ground reference data, spatial scale mismatches between satellite pixels and field observations, and temporal lags between satellite acquisition and ground surveys. Classification accuracies often degrade when applying models trained in one region to distant areas with different crop varieties, management practices, or environmental conditions. Uncertainty quantification and quality flagging are essential but frequently absent from operational products, limiting user confidence and appropriate application.

Systematic validation programs require sustained investment in ground truth data collection, standardized accuracy assessment protocols, and transparent reporting of limitations. Integration of citizen science observations, smartphone applications, and crowdsourced field boundary datasets can supplement traditional validation while reducing costs. Inter-comparison studies between multiple satellite sensors, algorithms, and cloud platforms reveal discrepancies that inform product selection and ensemble approaches.

6.3. Accessibility and Equity

While cloud-native platforms democratize access to sophisticated geospatial capabilities, substantial barriers remain for users in developing regions including limited internet connectivity, insufficient technical capacity,

language barriers, and lack of locally relevant training materials. Computational costs can accumulate rapidly for users conducting extensive analyses, potentially excluding researchers and organizations with limited budgets. Platform dependencies on proprietary cloud infrastructure raise concerns about vendor lock-in and long-term sustainability of analytical workflows.

Capacity building initiatives, open-source platform alternatives, and subsidized computing allocations for developing country users help address these challenges but require sustained institutional commitments. Localization of documentation, development of simplified interfaces for non-expert users, and integration with existing agricultural extension systems can improve accessibility. Partnerships between international organizations, national agricultural agencies, and cloud platform providers enable scaled deployment while building local ownership.

6.4. Future Technological Directions

Digital twin technologies promise to revolutionize agricultural monitoring by creating virtual replicas of agricultural systems that integrate satellite observations, IoT sensors, crop models, and machine learning in near real-time simulation environments. These digital twins enable what-if scenario exploration, optimization of management decisions, and predictive analytics supporting anticipatory governance. Edge-cloud computing architectures that preprocess sensor data locally while leveraging cloud resources for intensive analytics offer reduced latency, improved reliability in bandwidth-constrained environments, and enhanced privacy protection.

Autonomous monitoring systems incorporating artificial intelligence for automated anomaly detection, adaptive sampling strategies, and self-optimizing processing workflows will reduce manual intervention requirements and enable scalable operational systems. Integration of emerging data sources including Internet of Things devices with advanced sensing capabilities, satellite constellations providing hourly revisit times, and hyperspectral sensors will further enhance crop monitoring precision. Federated learning approaches that train machine learning models across distributed datasets without centralizing sensitive

agricultural data address privacy concerns while improving model generalizability.

7. Conclusion

Cloud-native geospatial platforms represent a transformative advancement in global crop monitoring capabilities, enabling scalable, near real-time analysis of multisource earth observation data across planetary extents. The integration of distributed computing architectures, petabyte-scale satellite archives, advanced machine learning algorithms, and interactive decision support tools within unified cloud environments has democratized access to sophisticated agricultural monitoring capabilities previously available only to well-resourced institutions. Applications spanning crop health assessment, yield forecasting, and food security early warning demonstrate substantial potential for improving agricultural productivity, resource efficiency, and climate resilience.

However, significant challenges remain regarding data volume management, computational costs, validation rigor, and equitable access particularly for stakeholders in developing regions where agricultural monitoring needs are most acute. Addressing these challenges requires continued investment in open data policies, capacity building programs, validation infrastructure, and inclusive platform design. Future developments in digital twin technologies, edge-cloud computing integration, autonomous monitoring systems, and federated learning approaches promise further enhancements in monitoring precision, operational efficiency, and decision support capabilities.

The continued evolution of cloud-native geospatial platforms for crop monitoring will require interdisciplinary collaboration between remote sensing scientists, agricultural researchers, computer scientists, and end users to ensure technological capabilities translate into meaningful improvements in food security and sustainable agricultural development. As climate variability intensifies and global food demand increases, these platforms will play increasingly critical roles in enabling evidence-based agricultural decision-making and supporting the transition toward climate-resilient food systems.

8. Figures




Fig 1: Architecture of a cloud-native geospatial platform for global crop monitoring




Fig 2: End-to-end data workflow integrating satellite, UAV, and IoT data in cloud environments

9. Tables

Table 1: Major cloud-native geospatial platforms and their core features for crop monitoring

Platform	Provider	Key Features	Data Archives	Processing Capabilities
Google Earth Engine	Google	Multi-petabyte satellite archive, JavaScript/Python API, parallel processing engine	Landsat (1972-present), Sentinel, MODIS, weather datasets	Vegetation indices, classification, time series analysis, machine learning
AWS Ground Station + SageMaker	Amazon	Satellite data downlink, S3 storage, serverless processing, ML model deployment	User-managed datasets, commercial partnerships	Custom workflows, deep learning, scalable inference
Microsoft Planetary Computer	Microsoft	STAC catalog, Azure integration, Jupyter environment, open datasets	Sentinel, Landsat, NAIP, land cover products	Dask-based processing, visualization tools, collaborative notebooks
Sentinel Hub	Sinergise	Sentinel data access, cloud-free compositing, custom scripts	Sentinel-1/2, Landsat, DEM	On-demand processing, multi-temporal analytics, API services

Table 2: Types of geospatial data sources and their applications in agricultural monitoring

Data Source	Spatial Resolution	Temporal Resolution	Key Parameters	Agricultural Applications
Optical satellites (Landsat, Sentinel-2)	10-30 m	5-16 days	NDVI, EVI, LAI, chlorophyll	Crop type mapping, biomass estimation, phenology monitoring
SAR satellites (Sentinel-1)	10-20 m	6-12 days	Backscatter coefficients, coherence	Soil moisture, crop structure, all-weather monitoring
MODIS/VIIRS	250-1000 m	Daily	Surface reflectance, temperature, indices	Regional monitoring, early warning, climate studies
UAV multispectral/thermal	0.05-0.5 m	On-demand	High-resolution indices, temperature	Precision agriculture, stress detection, yield mapping
IoT sensors	Point	Continuous/hourly	Soil moisture, temperature, nutrients	Ground truth, irrigation management, model calibration
Weather stations	Point/gridded	Hourly/daily	Precipitation, temperature, humidity	Crop modeling, drought monitoring, disease risk

Table 3: Advantages, limitations, and scalability considerations of cloud-based crop monitoring systems

Aspect	Advantages	Limitations	Scalability Considerations
Data access	Centralized archives, no local storage, instant availability	Internet dependency, proprietary platforms, data sovereignty	Elastic storage scales to petabytes, CDN distribution
Processing power	Massive parallelization, no hardware investment, rapid prototyping	Computational costs, learning curve, vendor lock-in	Horizontal scaling, auto-scaling, containerization
Analytical capabilities	Pre-built algorithms, ML frameworks, collaborative environments	Limited customization, platform constraints	Distributed ML training, GPU acceleration, serverless functions
Operational deployment	Global coverage, automated workflows, near real-time updates	Validation challenges, quality control, cost management	Multi-region deployment, edge computing integration
Accessibility	Democratized access, reduced technical barriers	Digital divide, capacity requirements, language barriers	Web-based interfaces, tiered pricing, open-source alternatives

10. References

- Godfray HCJ, Beddington JR, Crute IR, et al. Food security: the challenge of feeding 9 billion people. Science. 2010;327(5967):812–818.
- Tilman D, Balzer C, Hill J, Befort BL. Global food demand and the sustainable intensification of agriculture. Proceedings of the National Academy of Sciences of the United States of America. 2011;108(50):20260–20264.
- Food and Agriculture Organization of the United Nations, International Fund for Agricultural Development, United Nations Children’s Fund, World

- Food Programme, World Health Organization. The state of food security and nutrition in the world 2021. Rome: FAO; 2021.
4. Fritz S, See L, Baruck J, *et al.* A comparison of global agricultural monitoring systems and current gaps. *Agricultural Systems*. 2019;168:258–272.
 5. Whitcraft AK, Becker-Reshef I, Justice CO. A framework for defining spatially explicit earth observation requirements for a global agricultural monitoring initiative. *Remote Sensing*. 2015;7(2):1461–1481.
 6. Lobell DB, Thau D, Seifert C, Engle E, Little B. A scalable satellite-based crop yield mapper. *Remote Sensing of Environment*. 2015;164:324–333.
 7. Yang C, Huang Q, Li Z, Liu K, Hu F. Big data and cloud computing: innovation opportunities and challenges. *International Journal of Digital Earth*. 2017;10(1):13–53.
 8. Giuliani G, Dao H, De Bono A, *et al.* Live monitoring of earth surface: towards a geospatial data cube architecture. *Environmental Modelling and Software*. 2017;96:89–105.
 9. Ma Y, Wu H, Wang L, *et al.* Remote sensing big data computing: challenges and opportunities. *Future Generation Computer Systems*. 2015;51:47–60.
 10. Gorelick N, Hancher M, Dixon M, *et al.* Google Earth Engine: planetary-scale geospatial analysis for everyone. *Remote Sensing of Environment*. 2017;202:18–27.
 11. Sudmanns M, Tiede D, Lang S, Bergstedt H, Trost G, Augustin H, *et al.* Big earth data: disruptive changes in earth observation data management and analysis. *International Journal of Digital Earth*. 2020;13(7):832–850.
 12. Tamiminia H, Salehi B, Mahdianpari M, *et al.* Google Earth Engine for geo-big data applications: a meta-analysis and systematic review. *ISPRS Journal of Photogrammetry and Remote Sensing*. 2020;164:152–170.
 13. Azzari G, Lobell DB. Landsat-based classification in the cloud: an opportunity for a paradigm shift in land cover monitoring. *Remote Sensing of Environment*. 2017;202:64–74.
 14. Gomes VCF, Queiroz GR, Ferreira KR. An overview of platforms for big earth observation data management and analysis. *Remote Sensing*. 2020;12(8):1253.
 15. Giuliani G, Masó J, Mazzetti P, Nativi S, Zabala A. Paving the way to increased interoperability of earth observation data cubes. *Data*. 2019;4(3):113.
 16. Lee CA, Gasster SD, Plaza A, Chang CI, Huang B. Recent developments in high performance computing for remote sensing: a review. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*. 2011;4(3):508–527.
 17. Baumann P, Misev D, Merticariu V, Huu BP. Datacubes: a technology survey. In: *Proceedings of the IEEE International Geoscience and Remote Sensing Symposium*; 2018; Valencia, Spain. Piscataway (NJ): IEEE; 2018. p. 430–433.
 18. Li Z, Yang C, Liu K, *et al.* Geospatial big data handling theory and methods: a review and research challenges. *ISPRS Journal of Photogrammetry and Remote Sensing*. 2016;115:119–133.
 19. Nativi S, Mazzetti P, Santoro M, Papeschi F, Craglia M, Ochiai O. Big data challenges in building the Global Earth Observation System of Systems. *Environmental Modelling and Software*. 2015;68:1–26.
 20. Amazon Web Services. AWS for geospatial applications [Internet]. Seattle: AWS; 2022 [cited 2026 Jan 21]. Available from: <https://aws.amazon.com/geospatial/>
 21. Google Earth Engine. Earth Engine data catalog [Internet]. Mountain View (CA): Google; 2023 [cited 2026 Jan 21]. Available from: <https://developers.google.com/earth-engine/datasets>
 22. Microsoft. Planetary Computer: data catalog for environmental sustainability [Internet]. Redmond (WA): Microsoft; 2023 [cited 2026 Jan 21]. Available from: <https://planetarycomputer.microsoft.com/catalog>
 23. Holmes C, Barker E. Cloud optimized GeoTIFF. Open Geospatial Consortium Community Standard [Internet]. 2019 [cited 2026 Jan 21]. Available from: <https://www.ogc.org/standards/cog>
 24. Appel M, Pebesma E. On-demand processing of data cubes from satellite image collections with the gdalcubes library. *Data*. 2019;4(3):92.
 25. Yu J, Wu J, Sarwat M. GeoSpark: a cluster computing framework for processing large-scale spatial data. In: *Proceedings of the ACM International Conference on Advances in Geographic Information Systems*; 2015; Bellevue (WA). New York: ACM; 2015. p. 70.
 26. Merkel D. Docker: lightweight Linux containers for consistent development and deployment. *Linux Journal*. 2014;2014(239):2.
 27. Roberts A, Johansson A. Serverless computing in geospatial data processing. *Computers, Environment and Urban Systems*. 2020;84:101539.
 28. Amani M, Ghorbanian A, Ahmadi SA, *et al.* Google Earth Engine cloud computing platform for remote sensing big data applications: a comprehensive review. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*. 2020;13:5326–5350.
 29. Shelestov A, Lavreniuk M, Kussul N, Novikov A, Skakun S. Exploring Google Earth Engine platform for big data processing: classification of multi-temporal satellite imagery for crop mapping. *Frontiers in Earth Science*. 2017;5:17.
 30. Percivall G, Ronsdorf C, Liang S, McKee L. OGC environmental linked features interoperability experiment. OGC Public Engineering Report [Internet]. 2020 [cited 2026 Jan 21]. Available from: <https://www.ogc.org/standards/per>
 31. Becker-Reshef I, Justice C, Sullivan M, *et al.* Monitoring global croplands with coarse resolution earth observations: the Global Agriculture Monitoring system. *Remote Sensing*. 2010;2(6):1589–1609.
 32. Tucker CJ. Red and photographic infrared linear combinations for monitoring vegetation. *Remote Sensing of Environment*. 1979;8(2):127–150.
 33. Huete A, Didan K, Miura T, Rodriguez EP, Gao X, Ferreira LG. Overview of the radiometric and biophysical performance of the MODIS vegetation indices. *Remote Sensing of Environment*. 2002;83(1–2):195–213.
 34. Drusch M, Del Bello U, Carlier S, *et al.* Sentinel-2: ESA's optical high-resolution mission for GMES operational services. *Remote Sensing of Environment*. 2012;120:25–36.
 35. McNairn H, Shang J. A review of multitemporal synthetic aperture radar for crop monitoring. In: *Multitemporal Remote Sensing*. Cham: Springer; 2016.

- p. 317–340.
36. Veloso A, Mermoz S, Bouvet A, *et al.* Understanding the temporal behavior of crops using Sentinel-1 and Sentinel-2-like data for agricultural applications. *Remote Sensing of Environment*. 2017;199:415–426.
 37. Thenkabail PS, Lyon JG, Huete A. *Hyperspectral remote sensing of vegetation*. Boca Raton (FL): CRC Press; 2016.
 38. Pádua L, Vanko J, Hruška J, Adão T, Sousa JJ, Peres E, Morais R. UAS, sensors, and data processing in agroforestry: a review towards practical applications. *International Journal of Remote Sensing*. 2017;38(8–10):2349–2391.
 39. Maes WH, Steppe K. Perspectives for remote sensing with unmanned aerial vehicles in precision agriculture. *Trends in Plant Science*. 2019;24(2):152–164.
 40. Daponte P, De Vito L, Glielmo L, Iannelli L, Liuzza D, Picariello F, Silano G. A review on the use of drones for precision agriculture. *IOP Conference Series: Earth and Environmental Science*. 2019;275:012022.
 41. Cambra Baseca C, Sendra S, Lloret J, Tomas J. A smart decision system for digital farming. *Agronomy*. 2019;9(5):216.
 42. Navarro E, Costa N, Pereira A. A systematic review of IoT solutions for smart farming. *Sensors*. 2020;20(15):4231.